

Prepared for:
Restoring Wellness

24 Bayberry Ct
HOWELL, NJ USA 07731

Orange Gummies - 01RWOG2

Batch ID or Lot Number: 1	Test: Potency	Reported: 23Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000253360	Started: 22Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.286	0.729	ND	ND	# of Servings = 1, Sample Weight=3g
Cannabichromenic Acid (CBCA)	0.261	0.667	ND	ND	
Cannabidiol (CBD)	0.878	2.149	22.730	7.60	
Cannabidiolic Acid (CBDA)	0.900	2.204	ND	ND	
Cannabidivarin (CBDV)	0.208	0.508	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.376	0.919	ND	ND	
Cannabigerol (CBG)	0.162	0.414	ND	ND	
Cannabigerolic Acid (CBGA)	0.678	1.731	ND	ND	
Cannabinol (CBN)	0.212	0.540	ND	ND	
Cannabinolic Acid (CBNA)	0.463	1.181	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.808	2.062	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.734	1.873	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.650	1.659	ND	ND	
Tetrahydrocannabivarin (THCV)	0.148	0.377	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.573	1.464	ND	ND	
Total Cannabinoids			22.730	7.60	
Total Potential THC			ND	ND	
Total Potential CBD			22.730	7.60	

Final Approval



Karen Winternheimer
23Aug2023
11:07:00 AM MDT

PREPARED BY / DATE



Sam Smith
23Aug2023
11:08:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/9b5d3d8e-5f73-4dcc-9e7f-ff09a94a6268>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
9b5d3d8e5f734dcc9e7ff09a94a6268.1

Prepared for:
Restoring Wellness

24 Bayberry Ct
HOWELL, NJ USA 07731

Orange Gummies - 01RWOG2

Batch ID or Lot Number: 1	Test: Microbial Contaminants	Reported: 21Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000253361	Started: 18Aug2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 18Aug2023	Status: NA

Microbial Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brianne Maillot
21Aug2023
11:56:00 AM MDT

PREPARED BY / DATE



Eden Thompson-Wright
21Aug2023
04:35:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/10c06ce3-9876-49b3-b0ea-d579b155b243>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

10c06ce3987649b3b0ead579b155b243.1